



HRH Semi-radially rearward rotating nozzles

The semi-radially rotating enz golden jet® nozzles has 4- retroacting cutting-jets at an angle of 45°, which provide the cleaning energy as well as the thrust in one function, resulting in a low water consumption, while maximizing cleaning and flushing.

With sufficient water capacity, optional thrust jets can facilitate upward cleaning.

Applications

- Cleaning of pipes for TV-inspection
- To remove mineral deposits in pipes, grease and sludge
- Removal of fine hair roots



HRH Semi-radially rearward rotating nozzles

HRH Semi-radially rearward rotating nozzles 1/4" - 3/4"

					
	02.028AN	02.028BN	02.028ASN	02.040A	02.040B
	1/4 NPT	3/8 NPT	1/4 NPT	1/2	3/4
	1.5 - 4	1.5 - 4	1.5 - 4	3 - 6	3 - 6
	2	2	3	4.5	4.5
	4 × M4	4 × M4	4 × M4	4 × M6	4 × M6
	—	—	3 × M4	—	—
	*	*	*	*	*
	1.1 × 2.2	1.1 × 2.2	1.1 × 2.2	1.6 × 3.1	1.6 × 3.1
	0.45	0.45	0.45	1.25	1.25
	5,075	5,075	5,075	5,075	3,625
	—	—	—	—	—
					
	02.040AS	02.050A	02.050B	02.050AS	02.050BS
	1/2	1/2	3/4	1/2	3/4
	3 - 6	4 - 8	4 - 8	4 - 8	4 - 8
	11	11	11	11	11
	4 × M6	4 × M6	4 × M6	4 × M6	4 × M6
	3 × M6	—	—	3 × M6	3 × M6
	*	*	*	*	*
	1.6 × 3.1	2 × 3.9	2 × 3.9	2 × 3.9	2 × 3.9
	1.25	2.45	2.45	2.45	2.45
	5,075	5,075	3,625	5,075	3,625
	—	—	—	—	—

	Connecting thread [inch]		Rotating nozzles		Maximum pressure [psi]
	Application range [inch]		Thrust jet		Recycling
	min. gpm at 1450 psi at the nozzle		Front jet	*	Option
	Measures [inch]		Weight [lb.]		

HRH Semi-radially rearward rotating nozzles

HRH Semi-radially rearward rotating nozzles 1" - 1 1/4"

			
	02.060	02.100A	02.100B
	1	1	1 1/4
	4 - 12	8 - 24	8 - 24
	16	53	53
	4 × M8	4 × M10	4 × M10
	3 × M8	3 × M10	3 × M10
	*	*	*
	2.4 × 4.4	4 × 7.1	4 × 7.1
	3.55	16.45	16.45
	3,625	3,625	3,625
	—	—	—



	Connecting thread [inch]		Rotating nozzles		Maximum pressure [psi]
	Application range [inch]		Thrust jet		Recycling
	min. gpm at 1450 psi at the nozzle		Front jet	*	Option
ØxL	Measures [inch]		Weight [lb.]		